


**CAMLOG<sup>®</sup>**  
SYSTEM



**CONOLOG<sup>®</sup>**  
SYSTEM



# LITERATURE OVERVIEW LITERATURÜBERSICHT

Status: October 2014

a perfect fit™

**camlog**

## REVIEWS AND CONSENSUS

### 2014–2013

#### **Sanz-Sánchez I, Sanz-Martín I, Figuero E, Sanz M.**

Clinical efficacy of immediate implant loading protocols compared to conventional loading depending on the type of the restoration: A systematic review. *Clin Oral Impl Res* 00,2014;1-19

#### **Schwarz F.**

Minimierung der krestalen Knochenresorption. Einfluss von Implantat-Abutment-Verbindung und Positionierung der Implantatschulter. *DFZ* 2014;6:42-5

#### **Schwarz F, Alcoforado G, Nelson K, Schär A, Taylor T, Beuer F, Strietzel FP.**

Impact of implant-abutment connection, positioning of the machined collar/microgap, and platform switching on crestal bone level changes. *Camlog Foundation Consensus Report. Clin Oral Impl Res* 2014; 25:1301-3

#### **Schwarz F, Hegewald A, Becker J.**

Impact of implant-abutment connection and positioning of the machined collar/microgap on crestal bone level changes: a systematic review. *Clin Oral Impl Res* 2014;25:417-25

#### **Strietzel FP, Neumann K, Hertel M.**

Impact of platform switching on marginal peri-implant bone-level changes. A systematic review and meta-analysis. *Clin Oral Impl Res* 00,2014;1-6 doi: 10.1111/crl.12339 [Epub ahead of print]

## PROSPECTIVE CLINICAL TRIALS

### 2014–2013

#### **Beretta M, Poli PP, Maiorana C.**

Accuracy of computer-aided template-guided oral implant placement: prospective clinical study. *J Periodontal Implant Sci* 2014;44:184-93

#### **Guerra F, Wagner W, Wiltfang J, Rocha S, Moergel M, Behrens E, Nicolau P.**

Platform switch versus platform match in the posterior mandible – 1-year results of a multicenter randomized clinical trial. *J Clin Periodontol* 2014;41:521-29

#### **Krennmair S, Seemann R, Weinländer M, Krennmair G, Piehslinger E.**

Immediately loaded distally cantilevered fixed mandibular prostheses supported by four implants placed in both in fresh extraction and healed sites: 2-year results from a prospective study. *Eur J Oral Implantol* 2014;7(2):173-84

#### **Mirisola di Torresanto V, Milinkovic I, Torsello F, Cordaro L.**

Computer-assisted flapless implant surgery in edentulous elderly patients: a 2-year follow-up. *Quintessence Int* 2014;45:419-29

#### **Shakibaie-M B.**

Microscope-controlled internal sinus floor elevation (MCI-SFE): a new technique to evaluate the sinus membrane during transcrestal lifting. *Int J Microdent* 2013;4(1):12-9

#### **Shakibaie-M B.**

Comparison of the effectiveness of two different bone substitute materials for socket preservation after tooth extraction: a controlled clinical study. *Int J Periodontics Restorative Dent* 2013;33:223-8

#### **Stimmelmayer M, Güth JF, Erdelt K, Happe A, Schlee M, Beuer F.**

Clinical study evaluating the discrepancy of two different impression techniques of four implants in an edentulous jaw. *Clin Oral Investig* 2013;17(8):1929-35

#### **Wolfart S, Moll D, Hilgers RD, Wolfart M, Kern M.**

Implant placement under existing removable dental prostheses and its effect on oral health-related quality of life. *Clin Oral Impl Res* 2013;12;1354-9

### 2012–2011

#### **Beretta M, Barboglio M, Panigalli A, Pivetti L, Maiorana C.**

Healing abutment influence on peri-implant soft tissue healing. A randomized control trial. Poster 105, 20th Annual Scientific Meeting EAO Athens, October 12-15, 2011

#### **Heberer S, Al-Chawaf B, Jablonski C, Nelson JJ, Lage H, Nelson K.**

Healing of ungrafted and grafted extraction sockets after 12 weeks: a prospective clinical study. *Int J Oral Maxillofac Implants* 2011;26:385-92

#### **Krennmair G, Seemann R, Fazekas A, Ewers R, Piehslinger E.**

Patient preference and satisfaction with implant-supported mandibular overdentures retained with ball or locator attachments: a cross over clinical trial. *Int J Maxillofac Implants* 2012;27:1560-8

#### **Krennmair G, Seemann R, Weinländer M, Piehslinger E.**

Comparison of ball and telescopic crown attachments in implant-retained mandibular overdentures: a 5-year prospective study. *Int J Oral Maxillofac Implants* 2011;26:598-606

#### **Krennmair G, Sütö D, Seemann R, Piehslinger E.**

Removable four implant-supported mandibular overdentures rigidly retained with telescopic crowns or milled bars: a 3-year prospective study. *Clin Oral Impl Res* 2012;23:481-8

#### **Özkan Y, Akoğlu B, Kulak-Özkan Y.**

Maxillary sinus floor augmentation using bovine bone grafts with simultaneous implant placement: a 5-year prospective follow-up study. *Implant Dent* 2011;20:445-59

#### **Schwarz F, John G, Mainusch S, Sahn N, Becker J.**

Combined surgical therapy of peri-implantitis evaluating two methods of surface debridement and decontamination. A two-year clinical follow-up. *J Clin Periodontol* 2012;39:789-97

#### **Schwarz F, Sahn N, Becker J.**

Impact of the outcome of guided bone regeneration in dehiscence-type defects on the long-term stability of peri-implant health: clinical observations at 4 years. *Clin Oral Impl Res* 2012;23:191-6

#### **Stimmelmayer M, Stangl M, Edelhoff D, Beuer F.**

Clinical prospective study of a modified technique to extend the keratinized gingiva around implants in combination with ridge augmentation: one-year results. *Int J Oral Maxillofac Implants* 2011;26:1094-101

### 2010–2009

#### **Becker J, Al-Nawas B, Klein MO, Schliephake H, Terheyden H, Schwarz F.**

Use of a new cross-linked collagen membrane for the treatment of dehiscence-type defects at titanium implants: A prospective randomized controlled double-blinded clinical multicenter study. *Clin Oral Impl Res* 2009;20:742-9

#### **Bürgers R, Gerlach T, Hahnel S, Schwarz F, Handel G, Gosau M.**

In vivo and in vitro biofilm formation on two different titanium implant surfaces. *Clin Oral Impl Res* 2010;21:156-64

#### **Heberer S, Nelson K.**

Clinical evaluation of a modified method of vestibuloplasty using an implant-retained splint. *J Oral Maxillofac Surg* 2009;67:624-9

#### **Heberer S, Rühle B, Krekeler L, Schink T, Nelson JJ, Nelson K.**

A prospective randomized split-mouth study comparing iliac onlay grafts in atrophied edentulous patients: covered with periosteum or a bioresorbable membrane. *Clin Oral Impl Res* 2009;20:319-26

#### **Hu X, Lin Y, Metzmacher AR, Zhang Y.**

Sinus membrane lift using a water balloon followed by bone grafting and implant placement: a 28-case report. *Int J Prosthodont* 2009;22:243-7

#### **Shakibaie-M B.**

Socket und Ridge Preservation aus dreidimensionaler Sicht. – Eine klinische Studie – Socket and ridge preservation from the three-dimensional perspective – a clinical study. *Z Zahnärztl Impl* 2009;25(4):369-77

**Weinländer M, Piehslinger E, Krennmair G.**

Removable implant-prosthetic rehabilitation of the edentulous mandible: five-year results of different prosthetic anchorage concepts. *Int J Oral Maxillofac* 2010;25:589-97

**2008–2007****Karabuda C, Yaltirik M, Bayraktar M.**

A clinical comparison of prosthetic complications of implant-supported overdentures with different attachment systems. *Implant Dent* 2008;17:74-81

**Krennmair G, Krainhöfner M, Piehslinger E.**

The influence of bar design (round versus milled bar) on prosthodontic maintenance of mandibular overdentures supported by 4 implants: a 5-year prospective study. *Int J Prosthodont* 2008;21:514-20

**Krennmair G, Krainhöfner M, Weinländer M, Piehslinger E.**

Provisional implants for immediate restoration partially edentulous jaws: a clinical study. *Int J Oral Maxillofac Implants* 2008;23:717-25

**Nelson K, Heberer S, Glatzer C.**

Survival analysis and clinical evaluation of implant-retained prostheses in oral cancer resection patients over a mean follow-up period of 10 years. *J Prosthet Dent* 2007;98:405-10

**Özkan Y, Ozcan M, Akoğlu B, Uçankale M, Kulak-Özkan Y.**

Three-year treatment outcomes with three brands of implants placed in the posterior maxilla and mandible of partially edentulous patients. *J Prosthet Dent* 2007;97:78-84

**Rabel A, Köhler SG, Schmidt-Westhausen AM.**

Clinical study on the primary stability of two dental implant systems with resonance frequency analysis. *Clin Oral Invest* 2007;11(3):257-65

**Schwarz F, Herten M, Sager M, Bieling K, Sculean A, Becker J.**

Comparison of naturally occurring and ligature-induced peri-implantitis bone defects in humans and dogs. *Clin Oral Impl Res* 2007;18:161-70

**Strietzel FP, Reichart PA.**

Oral rehabilitation using Camlog® screw-cylinder implants with a particle-blasted and acid-etched microstructured surface. *Clin Oral Impl Res* 2007;18:591-600

**Strietzel FP, Reichart PA, Graf HL.**

Lateral alveolar ridge augmentation using a synthetic nano-crystalline hydroxyapatite bone substitution material (Ostim®): preliminary clinical and histological results. *Clin Oral Impl Res* 2007;18:743-51

**Stübinger S, Nuss K, Landes C, von Rechenberg B, Sader R.**

Harvesting of intraoral autogenous block grafts from the chin and ramus region: preliminary results with a variable square pulse Er:YAG laser. *Laser in surgery and medicine* 2008;40:312-8

**2006–2005****Ersanli S, Karabuda C, Beck F, Leblebicioglu B.**

Resonance frequency analysis of one-stage dental implant stability during the osseointegration period. *J Periodontol* 2005;76:1066-71

**Finotti M.**

Impianti post-estrattivi immediati a carico immediate. *Quintessenza Internazionale* 2005;6:37-52

**Heberer S, Nelson K.**

Modified treatment procedure for prosthetic rehabilitation of tumor patients. *EAO Zurich* September 2006

**Krennmair G, Weinländer M, Krainhofner M, Piehslinger E.**

Implant-supported mandibular overdentures retained with ball or telescopic crown attachments: a 3-year prospective study. *Int J Prosthodont* 2006;19:164-70

**Krennmair G, Weinländer M, Krainhöfner M, Piehslinger E.**

Implantatgetragene Deckprothesen im Unterkiefer auf Kugelgeschieben oder Teleskopkronen – Eine prospektive Dreijahresstudie. *Implantologie* 2006;14:235-43

**Nelson K, Özyuvaci H, Bilgic B, Klein M, Hildebrand D.**

Histomorphometric evaluation and clinical assessment of endosseous implants in iliac bone grafts with shortened healing periods. *Int J Oral Maxillofac Implants* 2006;21:392-8

**Rabel A, Köhler SG.**

Mikrobiologische Untersuchung zur Ermittlung des Erfolges der Sofortimplantation im parodontal geschädigten Gebiss. *Mund Kiefer Gesichtschir* 2006;10:7-13

**Salina S, Ennas M, Colombo A, Bernazzani F, Maiorana C.**

Nuovi impianti postestrattivi immediati e carico precoce: studio preliminare. Immediate implant placement into fresh sockets and early loading: preliminary study. *European Journal of Implant Prosthodontics* 2005;1:25-34

**Schwarz F, Bieling K, Bonsmann M, Latz T, Becker J.**

Nonsurgical treatment of moderate and advanced periimplantitis lesions: a controlled clinical study. *Clin Oral Invest* 2006;10:279-88

**LONG-TERM RESULTS, RETROSPECTIVE DATA****2014–2013****Hartmann A, Seiler M, Oeschey P, Dreyling M, Heinig N, Beuer F.**

Evaluation der Ästhetik durch unterschiedliche Fachdisziplinen mittels Pink Esthetic Score. *Implantologie* 2013;21(3):321–8

**Krennmair G, Seemann R, Weinländer M, Krennmair S, Piehslinger E.**

Clinical outcome and peri-implant findings of four-implant-supported distal cantilevered fixed mandibular prostheses: five-year results. *Int J Oral Maxillofac Implants* 2013;28:831-40

**Sakkas A, Winter C, Wilde F, Schramm A.**

Retromolar bone grafts prior to implant placement outcomes and complications – part 1. *Implants* 2013;3:6-12

**2012–2011****Al-Nawas B, Kämmerer PW, Morbach T, Ophoven F, Wagner W.**

Retrospective clinical evaluation of an internal tube-in tube dental implant after 4 years, with special emphasis on peri-implant bone resorption. *Int J Oral Maxillofac Implants* 2011;26:1309-16

**Cacaci C, Hänsler F.**

Einzelimplantatkronen im augmentierten Sinusmaxillaris. Eine Untersuchung über bis zu 8 Jahren. *Implantologie* 2012;20(3):327-33

**Draenert FG, Sagheb K, Baumgardt K, Kämmerer PW.**

Retrospective analysis of survival rates and marginal bone loss on short implants in the mandible. *Clin Oral Impl Res* 2012;23:1063-9

**Dürholt M, Weinhold DT, Dax S, Schulz S.**

Vergleich lateraler Augmentationsstechniken. Comparison of lateral augmentation techniques. *Z Zahnärztl Impl* 2011;27(3):251-60

**Franchini I, Capelli M, Fumagalli L, Parenti A, Testori T.**

Multicenter retrospective analysis of 201 consecutively placed Camlog dental implants. *Int J Periodontics Restorative Dent* 2011;31:255-63

**Keweloh M, Hennies O.**

Die Socket- und Ridge-Preservation zur Verbesserung des Implantatalters. Eine Fallserie. *Implantologie* 2011;19(3):301-10

**Krennmair G, Seemann R, Weinländer M, Wegscheider W, Piehslinger E.**

Implant-prosthetic rehabilitation of anterior partial edentulism: a clinical review. *Int J Oral Maxillofac Implants* 2011;26:1043-50

**Özkan Y, Akoğlu B, Kulak-Özkan Y.**

Five-year treatment outcomes with four types of implants in the posterior maxilla and mandible in partially edentulous patients: a retrospective study. *Int J Oral Maxillofac Implants* 2011;26:639-47

**Pietruski JK, Pietruska MD, Sajewicz E.**

Long-term follow-up of conical crown-retained dentures fabricated using different technologies. *Int J Periodontics Restorative Dent* 2012;32:467-75

**Scheiderbauer GC.**

Hydrodynamischer Sinuslift mit Augmentation and Implantation – Clinical application of piezo-surgical hydrodynamic sinus lift procedures in combination with augmentation and implantation. *Z Zahnärztl Impl* 2012;28(4):314-24

**Siebers D, Gehrke P, Schliephake H.**

Sofortfunktion in der zahnärztlichen Praxis. Immediate function in a dental practice. *Z Zahnärztl Impl* 2011;27(3):220-39

**Xiang L, Hu X, Mehrhof J, Nelson K.**

Klinische Evaluation von bedingt abnehmbaren Brücken im zahnlosen Kiefer: Fünfjahresergebnisse. *Quintessenz Zahntech* 2011;37(7):906-12

**2010–2009****Ackermann KL.**

Extraction site management using a natural bone mineral containing collagen: rationale and retrospective case study. *Int J Periodontics Restorative Dent* 2009;29:489-97

**De Lange GL, Randelzhofer P, Sipos P, de Bruin M, Both CJ.**

Survival and risks of immediate placed anterior implants Poster 19th Annual Scientific Meeting EAO Glasgow, October 6-9, 2010

**Krennmair G, Piehslinger E.**

Removable implant-supported maxillary prostheses anchored on milled bars: a retrospective evaluation of two concepts. *Int J Prosthodont* 2009;22:576-8

**Krennmair G, Seemann R, Piehslinger E.**

Dental implants in patients with rheumatoid arthritis: clinical outcome and peri-implant findings. *J Clin Periodontol* 2010;37:928-36

**Krennmair G, Seemann R, Schmidinger S, Ewers R, Piehslinger E.**

Clinical outcome of root-shaped dental implants of various diameters: 5-year results. *Int J Oral Maxillofac Implants* 2010;25:357-66

**Lixin H, Hu X, Mehrhof J, Nelson K.**

Clinical evaluation of a fixed (retrievable) implant-supported prosthesis in the edentulous jaw: a 5-year report. *Quintessence Int* 2010;41:277-83

**Ricken L, Vogel S.**

Überlebensrate sofort belasteter Implantate, Survival of immediately loaded implants. *Z Zahnärztl Impl.* 2010;26(3):269-76

**Semper W, Heberer S, Nelson K.**

Retrospective analysis of bar-retained dentures with cantilever extension: marginal bone level changes around dental implants over time. *Int J Oral Maxillofac Implants* 2010;25:385-93

**Semper W, Heberer S, Nelson K.**

Carico precoce su impianti a forma radicolare e conici con superficie mordenzata e sabbata. Follow up clinico a 6 anni. *Implant tribune* 2009;3(2):16-8

**Siebers D, Gehrke P, Schliephake H.**

Immediate versus delayed function of dental implants: a 1- to 7-year follow-up study of 222 implants. *Int J Oral Maxillofac Implants* 2010;25:1195-202

**Tesch J, Tesch P, Lysek DA.**

Long-term results after lateral and osteotome technique sinus floor elevation: a retrospective analysis of 2190 implants over a time period of 15 years. *Clin Oral Impl Res* 2010;21:497-503

**Weinländer M, Krennmair G, Piehslinger E.**

Implant prosthodontic rehabilitation of patients with rheumatic disorders: a case series report. *Int J Prosthodont* 2010;23:22-8

**Zafiroopoulos GG, Deli G, Bartee BK, Hoffmann O.**

Single-tooth implant placement and loading in fresh and regenerated extraction sockets. 5 year results. a case series using two different implant designs. *J Periodontol* 2010;81:604-15

**2008–2007****Bochdam KU, Benner KU, Holland-Letz T, Hölze F, Willer J.**

Klinische Nachuntersuchung von implantatgestützten Vollprothesen im zahnlosen und restbezahnten Kiefer - ein Vergleich zwischen Teleskopprothesen und den etablierten Stegprothesen. *Stomatologie* 2008;105:141-9

**Heberer S, Hohl M, Semper W, Willer J, Nelson K.**

Rehabilitation von Patienten mit extrem atrophierten Kiefern mittels Implantatinserktion nach Augmentation von autologem Beckenkammknochen. Eine bis zu dreizehnjährige retrospektive klinische Studie. *Stomatologie* 2008;105:57-62

**Krennmair G, Krainhöfner M, Piehslinger E.**

Retrospektive Vergleichstudie zu implantatgetragenen Oberkieferdeckprothesen auf gefrästen Stegen. Frontaler Extensionssteg oder Seitensteg. *Implantologie* 2008;16(3):287-98

**Krennmair G, Krainhöfner M, Piehslinger E.**

Implant-supported maxillary overdentures retained with milled bars: maxillary anterior versus maxillary posterior concept – a retrospective study. *Int J Oral Maxillofac Implants* 2008;23:343-52

**Krennmair G, Krainhöfner M, Piehslinger E.**

Implant-supported mandibular overdentures retained with a milled bar: a retrospective study. *Int J Oral Maxillofac Implants* 2007;22:987-94

**Krennmair G, Krainhöfner M, Schmid-Schwab M, Piehslinger E.**

Maxillary sinus lift for single implant-supported restorations: a clinical study. *Int J Oral Maxillofac Implants* 2007;22:351-8

**Krennmair G, Krainhöfner M, Waldenberger O, Piehslinger E.**

Dental implants as strategic supplementary abutments for implant-tooth-supported telescopic crown-retained maxillary dentures: a retrospective follow-up study for up to 9 years. *Int J Prosthodont* 2007;20:617-22

**Nelson K, Semper W, Hildebrand D, Özyuvaci H.**

A retrospective analysis of sandblasted, acid-etched implants with reduced healing times with an observation period of up to 5 years. *Int J Oral Maxillofac Implants* 2008;23:726-32

**Semper W, Heberer S, Nelson K.**

Early loading of root form and conical implants with a sandblasted large-grit acid-etched surface: a 6-year clinical follow-up. *Implants* 2008;2:14-9

**Semper W, Hildebrand D, Özyuvaci H, Nelson K.**

Erfolgsrate von Implantaten mit sandgestrahlter und geätzter Oberfläche im Oberkiefer nach einer Einheilzeit von zwölf Wochen: eine retrospektive Analyse.

Success rate of sandblasted and acid-etched maxillary implants after a healing period of twelve weeks: a retrospective analysis. *Z Zahnärztl Impl* 2007;23(3):176-85

**2006–2004****Di P, Lin Y, Li JH, Qiu LX, Chen B, Wang X.**

Clinical application of implant supported magnet-retained overdenture [Article in Chinese]. *Zhonghua Kou Qiang Yi Xue Za Zhi* 2006;41:193-5

**Hu XL, Cui HY, Wang T, Li JH, Qui LX, Lin Y.**

Application of implant-supported telescopic overdenture in edentulous cases [Article in Chinese]. *Zhonghua Kou Qiang Yi Xue Za Zhi* 2006;41:391-4

**Lin Y, Li JH, Qiu LX, Di P, Hu XL, Wang X.**

A clinical retrospective study of 10 years implant results [Article in Chinese]. *Zhonghua Kou Qiang Yi Xue Za Zhi* 2006;41:131-5



**Morbach TH, Ophoven F, Al-Nawas B, Wagner W.**  
Vier Jahre Erfahrung mit dem CAMLOG Implantat. DGI Kongress Dresden Dezember 2006

**Nelson K, Melerski MI, Agariguchi A, Hildebrand D.**  
Retrospektive klinische Studie von implantatgetragenen Galvano-Steg-Prothesen. Deutsche Zahnärztliche Zeitschrift 2006;61:32-7

**Yerit KC, Posch M, Hainich S, Turhani D, Klug C, Wanschitz F, Wagner A, Watzinger F, Ewers R.**  
Long-term implant survival in the grafted maxilla: results of a 12-year retrospective study. Clin Oral Implants Res 2004;15:693-9

## ANIMAL STUDIES

### 2014–2013

**Mehl C, Becker ST, Acil Y, Harder S, Wiltfang J, Dabbagh-Afrouz AA, de Buhr W, Kern M.**  
Impact of vertical loading on the implant-bone interface. Clin Oral Impl Res 2013;24:949-56

**Schwarz F, Mihatovic I, Shirakata Y, Becker J, Bosshardt D, Sculean A.**  
Treatment of soft tissue recessions at titanium implants using a resorbable collagen matrix: a pilot study. Clin Oral Impl Res 2014;25:110-5

**Wang D, Künzel A, Golubovic V, Mihatovic I, John G, Chen Z, Becker J, Schwarz F.**  
Accuracy of peri-implant bone thickness and validity of assessing bone augmentation material using cone beam computed tomography. Clin Oral Investig 2013;17:1601-9

### 2012–2011

**Becker K, Mihatovic I, Golubovic V, Schwarz F.**  
Impact of abutment material and dis-/re-connection on soft and hard tissue changes at implants with platform-switching. J Clin Periodontol 2012;39:774-80

**Schwarz F, Sahm N, Mihatovic I, Golubovic V, Becker J.**  
Surgical therapy of advanced ligature-induced peri-implantitis defects: cone-beam computed tomographic and histological analysis. J Clin Periodontol 2011;38:939-49

### 2010–2009

**Becker J, Ferrari D, Mihatovic I, Sahm N, Schär A, Schwarz F.**  
Stability of crestal bone level at platform switched non-submerged titanium implants. a histomorphometrical study in dogs. J Clin Periodontol 2009;36:532-9

**Benlidayi ME, Kürkcü M, Öz IA, Sertdemir Y.**  
Comparison of two different forms of bovine-derived hydroxyapatite in sinus augmentation and simultaneous implant placement: an experimental study. Int J Oral Maxillofac Implants 2009;24:704-11

**Stübinger S, Biermeier K, Bächli B, Ferguson SJ, Sader R, von Rechenberg B.**  
Comparison of Er:YAG laser, piezoelectric, and drill osteotomy for dental implant site preparation: a biomechanical and histological analysis in sheep. Lasers Surg Med 2010;42:652-61

### 2008–2007

**Becker J, Ferrari D, Herten M, Kirsch A, Schär A, Schwarz F.**  
Influence of platform switching on crestal bone changes at non-submerged titanium implants: a histomorphometrical study in dogs. J Clin Periodontol 2007;34:1089-96

**Schwarz F, Herten M, Bieling K, Becker J.**  
Crestal bone changes at nonsubmerged implants (Camlog) with different machined collar lengths: a histomorphometric pilot study in dogs. Int J Oral Maxillofac Implants 2008;23:335-42

**Schwarz F, Herten M, Sager M, Bieling K, Sculean A, Becker J.**  
Comparison of naturally occurring and ligature-induced peri-implantitis bone defects in humans and dogs. Clin Oral Implant Res 2007;18:161-70

**Schwarz F, Olivier W, Herten M, Sager M, Chaker A, Becker J.**  
Influence of implant bed preparation using an Er:YAG laser on the osseointegration of titanium implants: a histomorphometrical study in dogs. J Oral Rehabil 2007;34:273-81

### 2006

**Becker J, Kirsch A, Schwarz F, Chatzinikolaidou M, Rothamel D, Lekovic V, Jennissen HP.**  
Bone apposition to titanium implants biocoated with recombinant human bone morphogenetic protein-2 (rhBMP-2). A pilot study in dogs. Clin Oral Investig 2006;10:217-224

**Becker J, Schwarz F, Kirsch A.**  
Improvement of marginal bone adaptation through the new Promote® plus design. CAMLOG News 2006;1:2-3

## IN-VITRO STUDIES

### 2014–2013

**Happe A, Nadenau E, Röling N, Neugebauer J, Nickenig HJ, Rothamel D.**  
Abutmentdesign Makro- Mikro- und Nanoaspekte. Implantologie 2013;21(4):367-73

**Mehl C, Harder S, Steiner M, Vollrath O, Kern M.**  
Influence of cement film thickness on the retention of implant-retained crowns. J Prosthodont 2013; 22:618-25

**Nelson K, Zabler S, Wiest W, Schmelzeisen R, Semper-Hogg W.**  
Die Implantat-Abutment-Verbindung. Implantologie 2013;21:355-63

**Semper-Hogg W, Kraft S, Stiller S, Mehrhof J, Nelson K.**  
Analytical and experimental position stability of the abutment in different dental implant systems with a conical implant-abutment connection. Clin Oral Investig 2013 Apr;17(3):1017-23

**Stimmelmayer M, Stangl M, Güth JF, Edelhoff D, Erdelt K, Beuer F.**  
Die Abformung von Implantaten im zahnlosen Kiefer. BZB 2013;9:54-7

### 2012–2011

**Dittmer S, Dittmer MP, Kohorst P, Jendras M, Borchers L, Stiesch M.**  
Effect of implant-abutment connection design on load bearing capacity and failure mode of implants. J Prosthodontics 2011;20:510-6

**Harder S, Quabius ES, Ossenkop L, Kern M.**  
Assessment of lipopolysaccharide microleakage at conical implant-abutment connections. Clin Oral Investig 2012;16(5):1377-84

**Mehl C, Harder S, Schwarz D, Steiner M, Vollrath O, Kern M.**  
In vitro influence of ultrasonic stress, removal force preload and thermocycling on the retrievability of implant-retained crowns. Clin Oral Impl Res 2012;23:930-7

**Mehl C, Harder S, Shahriari A, Steiner M, Kern M.**  
Influence of abutment height and thermocycling on retrievability of cemented implant-supported crowns. Int J Oral Maxillofac Implants 2012;27:1106-15

**Rupp F, Scheideler L, Eichler M, Geis-Gerstorfer J.**  
Wetting behavior of dental implants. Int J Oral Maxillofac Implants 2011;26:1256-66

**Semper W, Stiller S, Mehrhof J, Schmelzeisen R, Nelson K.**  
Position accuracy of re-positioned abutments in implant systems with a tapered implant-abutment connection, Poster, 4th International Conference ADT Freiburg, May 5-8, 2011

**Simeone P, Valentini PP, Pizzoferrato R, Scudieri F.**  
Dimensional accuracy of pickup implant impression: an in vitro comparison of novel modular versus standard custom trays. *Int J Oral Maxillofac Implants* 2011;26:538-46

**Stimmelmayer M, Edelhoff D, Güth JF, Erdelt K, Happe A, Beuer F.**  
Wear at the titanium-titanium and the titanium-zirconia implant-abutment interface: a comparative in vitro study. *Dental Materials* 2012;28:1215-20

**Stimmelmayer M, Erdelt K, Güth JF, Happe A, Beuer F.**  
Evaluation of impression accuracy for a four-implant mandibular model – a digital approach. *Clin Oral Invest* 2012;16(4):1137-42

**Stimmelmayer M, Güth JF, Erdelt K, Edelhoff D, Beuer F.**  
Digital evaluation of the reproducibility of implant scanbody fit – an in vitro study. *Clin Oral Invest* 2012;16(3):851-6

## 2010–2009

**Kim SG, Park JU, Jeong JH, Bae C, Bae TS, Chee W.**  
In vitro evaluation of reverse torque value of abutment screw and marginal opening in a screw- and cement-retained implant fixed partial denture design. *Int J Oral Maxillofac Implants* 2009;24:1061-7

**Semper W, Heberer S, Mehrhof J, Schink T, Nelson K.**  
Effects of repeated manual disassembly and reassembly on the positional stability of various implant-abutment complexes: an experimental study. *Int J Oral Maxillofac Implants* 2010;25:86-94

**Semper W, Kraft S, Krüger T, Nelson K.**  
Theoretical optimum of implant positional index design. *J Dent Res* 2009;88(8):731-5

**Semper W, Kraft S, Krüger T, Nelson K.**  
Theoretical considerations: Implant positional index design. *J Dent Res* 2009;88(8):725-30

**Semper W, Kraft S, Mehrhof J, Nelson K.**  
Impact of abutment rotation and angulation on marginal fit: theoretical considerations. *Int J Oral Maxillofac Implants* 2010;25:752-8

**Ungvári K, Pelsöczy IK, Kormos B, Oszkó A, Rakonczay Z, Kemény L, Radnai M, Nagy K, Fazekas A, Turzó K.**  
Effect on titanium implant surfaces of chemical agents used for the treatment of peri-implantitis. *J Biomed Mater Res Part B: Appl Biomater* 94B 222-9, 2010

## 2008–2007

**Ebert A, Hedderich J, Kern M.**  
Retention of zirconia ceramic copings bonded to titanium abutments. *Int J Oral Maxillofac Implants* 2007;22:921-7

**Edinger D, Kahler E, Hilgers R.**  
Untersuchung der Rotationspassgenauigkeit. *BDIZ EDI Konkret* 2007;2:68-71

**Mehl C, Harder S, Wolfart M, Kern M, Wolfart S.**  
Retrievability of implant-retained crowns following cementation. *Clin Oral Impl Res* 2008;19:1304-11

**Neugebauer J, Lingohr T, Karapetian VE, Shihadeh R, Zöllner JE.**  
Accuracy of manual torque-limiting devices for use in oral implantology. *EDI Journal* 2008;4:48-52

**Neugebauer J, Lingohr T, Karapetian VE, Shihadeh R, Zöllner JE.**  
Vergleich der Drehmomentgenauigkeit von implantologischen Handratschen. *BDIZ EDI Konkret* 2008;03:84-8

**Reinert M, Geis-Gerstorfer J.**  
Vergleichende Untersuchung zur Passgenauigkeit von prothetischzahn-technischen Komponenten verschiedener Implantatsysteme. *Deutsche Zahnärztliche Zeitschrift* 2007;62(10):668-74

**Steinebrunner L, Wolfart S, Ludwig K, Kern M.**  
Implant-abutment interface design affects fatigue and fracture strength of implants. *Clin Oral Impl Res* 2008;19:1276-84

**Wolfart M, Wolfart S, Kern M.**  
Retention und Randschluss implantatgetragener Kronen nach Zementierung. *Implantologie* 2007;15(3):285-94

## 2006–2005

**Sakoh J, Wahlmann U, Stender E, Al-Nawas B, Wagner W.**  
Primary stability of a conical implant and a hybrid, cylindrical screw-type implant in vitro. *Int J Oral Maxillofac Implants* 2006;21:560-6

**Steinebrunner L, Wolfart S, Bössmann K, Kern M.**  
In vitro evaluation of bacterial leakage along the implant-abutment interface of different implant systems. *Int J Oral Maxillofac Implants* 2005;20:875-81

**Steinebrunner L, Bössmann K, Kern M.**  
Implantat-Abutment-Verbindungen – Präklinische Testmethoden. *Implantologie* 2005;13:145-60

**Wolfart M, Wolfart S, Kern M.**  
Retention forces and seating discrepancies of implant-retained castings after cementation. *Int J Oral Maxillofac Implants* 2006;21:519-25

## RELATED PUBLICATIONS

**Abrahamsson I, Berglundh T.**  
Effects of different implant surfaces and designs on marginal bone-level alterations: a review. *Clin Oral Impl Res* 2009;20(suppl.4):207-15

**Bücking W.**  
Empirisch in der Praxis bewährt. Anforderungen an ein modernes Implantatsystem. *Quintessenz* 2004;55:945-55

**Cehreli MC, Karasoy D, Akca K, Eckert SE.**  
Meta-analysis of methods used to assess implant stability. *Int J Oral Maxillofac Implants* 2009;24:1015-32

**Eggers G, Patellis E, Mühling J.**  
Accuracy of template-based dental implant placement. *Int J Oral Maxillofac Implants* 2009;24:447-54

**Knöfler W, Knöfler A, Graf HL.**  
Die Überlebenswahrscheinlichkeit von Implantaten in einer zahnärztlichen Praxis im Zeitraum von zehn Jahren. *Z Zahnärztl Impl* 2004;20:230-46

**Kotsovilis S, Fourmousis I, Karoussis IK, Bamia C.**  
A systematic review and meta-analysis on the effect of implant length on the survival of rough-surface dental implants. *J Periodontol* 2009;80:1700-18

**Ma S, Payne AGT.**  
Marginal bone loss with mandibular two-implant overdentures using different loading protocols: a systematic literature review. *Int J Prosthodont* 2010;23:117-26

**Michalczik V, Terheyden H.**  
Stabilität des Knochenniveaus an Implantaten nach Augmentation mit Unterkiefer-Blocktransplantaten. Bone height stability at implants after augmentation with mandibular block autografts. *Z Zahnärztl Impl* 2007;23(4):266-79

**Shakibaie-M B.**  
Einsatzgebiete des Operationsmikroskops im Rahmen der minimalinvasiven Implantologie. *Quintessenz* 2010;61(3):293-308

## SUBSIDIARIES/ DISTRIBUTORS:

### Germany:

CAMLOG Vertriebs GmbH  
Maybachstr. 5  
71299 Wimsheim  
Germany  
Tel: +49 (0) 70 44/94 45-0  
Fax: +49 (0) 70 44/94 45-722  
E-Mail: info.de@camlog.com  
Website: www.camlog.de

### Switzerland:

CAMLOG Schweiz AG  
Margarethenstrasse 38  
CH-4053 Basel  
Switzerland  
Tel: +41 (0) 61/565 41 41  
Fax: +41 (0) 61/565 41 42  
E-Mail: vertrieb@camlog.ch  
Website: www.camlog.com

### Austria:

ALLTEC Dental-GmbH  
Schwefel 93  
6850 Dornbirn  
Austria  
Tel: +43 (0) 5572-372341  
Fax: +43 (0) 5572-372341-404  
E-Mail: info@alltecdental.at  
Website: www.alltecdental.at

### Canada:

CAMLOG Canada  
345 Townline Road,  
Niagara-on-the-Lake, Ontario L0S 1J0  
Canada  
Tel: +1 800 668 5558  
Fax: +1 905 832 7254  
E-Mail: camlog@henryschein.com  
Website: www.camlogus.com

### Czech Republic/Slovakia:

B.S. Dental s.r.o.  
Krizikova 185/35  
18600 Prague 8  
Czech Republic  
Tel: +42 (0) 724122988  
E-Mail: bsdental@volny.cz  
Website: www.bsdental.cz

### Denmark:

EltiDent ApS  
Hundige Strandvej 178  
2670 Greve  
Denmark  
Tel: +45 70 27 17 47  
E-Mail: info@eltident.com  
Website: www.eltident.com

### Finland:

Implantona Oy  
Paciuksenkatu 19  
00270 Helsinki  
Finland  
Tel: +358 9 530 6730  
Fax: +358 9 530 67310  
E-Mail: tilaukset@implantona.fi  
Website: www.implantona.fi

### France:

Henry Schein Implantologie  
Immeuble Activille  
4, rue de Charenton  
94140 Alfortville  
France  
Tel: +33 (0) 1 41 79 74 97  
Fax: +33 (0) 1 41 79 65 76

### Hungary:

Logintech Magyarország Kft.  
Fő fasor 16-20  
6726 Szeged  
Hungary  
Tel: +36 (62) 424-379  
Fax: +36 (62) 424-378  
E-Mail: logintech@logintech.hu  
Website: www.logintech.hu

### Italy:

ALTA-TECH Biotechnologies S.r.l.  
Via E. Fermi 18  
36066 Sandrigo VI  
Italy  
Tel: +39 0444-461311  
Fax: +39 0444-461346  
E-Mail: info@alta-tech.it  
Website: www.alta-tech.it

### Japan:

Alta-Dent Corporation  
8-31, 2 chome  
Shibata, kita-ku  
Osaka City, 530-0012 Osaka  
Japan  
Tel: +81 6 6377 2221  
Fax: +81 6 6377 2223  
E-Mail: info@alta-dent.com  
Website: www.alta-dent.com

### Netherlands:

Pro-Cam Implants B.V.  
Postbus 63  
3440 AD Woerden  
Vijzelmolenlaan 1  
3447 GX Woerden  
Netherlands  
Tel: +31 (0) 348-820010  
Fax: +31 (0) 348-820011  
E-Mail: info@pro-cam.nl  
Website: www.pro-cam.nl

### Poland:

FM Dental  
FM Produkty Dla Stomatologii  
W.Fec, B.Fec Sp.Jawna  
ul. J.Conrada 51  
31-357 Kraków  
Poland  
Tel: +48 (0) 12 423 49 21  
Fax: +48 (0) 12 423 49 13  
E-Mail: biuro@fmdental.pl  
Website: www.fmdental.pl

### Singapore:

Implantate Pte Ltd  
Blk 302 Ang Mo Kio Ave 3  
#01-1836  
Singapore 560302  
Tel: +65-96215563  
E-Mail: implantate@outlook.sg

### South Korea:

A&K Enterprise  
Suite #624, Dongmoon Tower 2  
1324 Baekseok-dong, Ilsan donk-ku  
Goyang city, Kyonggi-do  
South Korea  
Tel: +82-31-906-5734  
Fax: +82-31-906-5738  
E-Mail: hwkim@anke.kr  
Website: www.camlog.co.kr

### Spain/Portugal:

CAMLOG Med. SA  
C/Perú, 6  
E-28290 Las Matas (Madrid)  
Spain  
Tel: +34 91 456 08 72  
Fax: +34 91 456 08 73  
E-Mail: info@camlogmed.es  
Website: www.camlog.com

### Taiwan R.O.C.:

KAILOTEG GmbH & Co. KG  
1F, No. 86, Sec3, Zhon-Shia E. Rd  
Taipei  
Taiwan R.O.C.  
Tel: +886 (2) 275245-23  
Fax: +886 (2) 274021-42  
E-Mail: kailoteg@yahoo.com.tw

### Thailand:

ACCORD Corporation Limited  
33/2-8 Soi Rongmuang 4  
Rongmuang  
Patumwan  
Bangkok 10330  
Thailand  
Tel: +66 2-613-8081-90  
Fax: +66 2-613-6627  
E-mail: sales@accorddental.com  
Website: www.accorddental.com

### Turkey:

SD Sarp Dental Tic. Ltd. Sti.  
Halaskargazi CAD No. 356/6  
34363 Sisli - Istanbul  
Turkey  
Tel: +90 (212) 22-56908/09  
Fax: +90 (212) 22-49431  
E-Mail: burakgoreli@sarpdental.com.tr  
Website: www.sarpdental.com.tr

### United Kingdom:

Pro Cam Implants Ltd  
Monument House  
215 Marsh Road  
Pinner, Middlesex HA5 5NE  
United Kingdom  
Tel: +44 20 35145878  
Fax: +44 20 35145895  
E-mail: info@camlog.co.uk  
sales@camlog.co.uk

### USA:

CAMLOG USA  
1822 Aston Ave.  
Carlsbad, CA 92008  
USA  
Tel: +1 760 918 1857  
Fax: +1 760 918 1855  
E-Mail: camlog@henryschein.com  
Website: www.camlogus.com

## HEADQUARTERS:

CAMLOG Biotechnologies AG  
Margarethenstrasse 38  
CH-4053 Basel  
Switzerland  
Tel: +41 (0) 61/565 41 00  
Fax: +41 (0) 61/565 41 01  
E-Mail: info@camlog.com  
Website: www.camlog.com

**HEADQUARTERS**

CAMLOG Biotechnologies AG | Margarethenstrasse 38 | CH-4053 Basel  
info@camlog.com | www.camlog.com

**camlog**